

<u>Health Related Social Needs (HRSN)</u> <u>Prior Authorization Request – Climate Device</u>

Please Fax to 503.850.9398 ☐ Questions call 855.722.8205

Chart Notes Required

Full completion of the PA Form and providing required documentation will help to ensure timely processing of this request.

□EXPEDITED REQUEST (Must complete the required section)		
Member Information		
Last Name:	First Name:	
Insurance ID #:	DOB:	
Address:	County:	
Phone:	Email:	
Preferred Language:	Pronouns:	
· · · · · · · · · · · · · · · · · · ·		
Requestor I	nformation:	
Requesting Provider/Organization/Member:	Phone:	
Address:	Email:	
	·	
Provider Information (Current Provider That Manages Member's Clinical Risk Factors Related to HRSN)		
Care Provider:	Care Provider Phone:	
TIN#:	NPI#:	
	<u> </u>	
Eligibility Criteria Member must meet ALL the following requirements If member does not meet HRSN eligibility, consider applying for HRS flex funds https://yamhillcco.org/wp-content/uploads/YCCO-Flex-Funds-Request-1.pdf Be enrolled in the OHP under category CCOA or CCOB Be in AT LEAST ONE HRSN covered population Adults and Youth Discharged from an HRSN Eligible Behavioral Health Facility Adults and Youth Released from Incarceration Adults and Youth Currently Involved In or Have Been previously Involved in the Oregon Child Welfare System Individuals Transition from Medicaid-only to Dual Eligibility (Medicaid and Medicare) Status within the Next 3 Months or Past 9 months Adults and Youth who are at risk of becoming unhoused Young Adults with Special Health Care Needs (YSHCN)		
 ☐ Meet AT LEAST ONE of the Climate Device-Specific Clinical Risk Factors ☐ Air conditioners for individuals at health risk due to significant heat ☐ Heaters for individuals at increased health risk due to significant cold ☐ Air filtration devices and, as needed, replacement air filters for individuals at health risk due to compromised air quality ☐ Mini refrigeration units as needed for individuals for medication storage (member must NOT have another source of refrigeration available) ☐ Portable power supplies for individuals who need access to electricity-dependent equipment (eg ventilators, dialysis machines, IV equipment, chair lifts, mobility devices, etc.) or at risk of public safety power shutoffs that may compromise their ability to use medically necessary devices 		



☐ Meet the criteria for a Social Risk Factor – Member resides in their own home or a non-institutional, non-congregate primary residence and has a need that will be aided by one of the following devices: air conditioner, heater, air filtration device, portable power supply (PPS), and/or mini refrigeration units ☐ Have a medically driven need for one of the following devices: air conditioner, heater, air filtration device, portable power supply, or refrigeration unit		
Type of Need: (che	eck appropriate box)	
□Air Conditioner □Heater □Air Filter □Mini Refrigerator □Portable Power Supply		
Member Attestations (r	must be completed in full)	
 □ Member has attested to not be receiving duplicative services through other programs OR existing service is not fully meeting Member needs Member has consented to: □ Receive approved HRSN Services □ Be contacted by phone and text by YCCO staff □ Be contacted by phone by the service vendor for delivery and hook up □ Be contacted for and/or managed by Care Management (not required) □ Member can safely use the device where they live. Member can safely and legally plug in the device. □ Agrees to the use of information technology methods of personal data sharing. 		
Clinical Criteria for Climate-Related Devices (current medical condition, active in past 12 mo.): Medical necessity support documentation must demonstrate a medically driven need specific to the requested device.		
ICD-10 Code(s):	CPT Code(s):	
Air Conditioner	Air Filtration Device	
☐ Schizophrenia spectrum and other psychotic disorders	☐ Schizophrenia spectrum and other psychotic disorders	
☐ Bipolar and related disorders	☐ Bipolar and related disorders	
 □ Major depressive disorder, moderate severity, severe severity, with psychotic features, with a suicide attempt in the past 12mo, or crisis services (ED, mobile crisis team), acute psychiatric hospitalization, or residential treatment in the past 12mo. □ One or more of the following: Substance Use Disorders: alcohol use disorder, hallucinogen use disorders, inhalant use disorder, opioid use disorder, stimulant use disorder □ Major neurocognitive disorder □ Pregnant: current - *See Required Conditions For Specific Age Groups Section □ 0-6 years old - *See Required Conditions For Specific Age Groups Section 	 □ Major depressive disorder, moderate severity, severe severity, with psychotic features, with a suicide attempt in the past 12mo, or with crisis services (emergency department, mobile crisis team), acute psychiatric hospitalization, or residential treatment in the past 12mo. □ One or more of the following: Substance Use Disorders: alcohol use disorder, hallucinogen use disorders, inhalant use disorder, opioid use disorder, stimulant use disorder □ Major neurocognitive disorder □ Pregnant: current - *See Required Conditions For Specific Age Groups Section □ 0-6 years old - *See Required Conditions For Specific Age Groups Section 	



Specific Age Groups Section		
· · · · · · · · · · · · · · · · · · ·	Specific Age Groups Section	
☐ Chronic lower respiratory condition: chronic	☐ Chronic lower respiratory condition: chronic	
obstructive pulmonary disease (COPD), asthma	obstructive pulmonary disease (COPD), asthma	
requiring regular use of asthma controlling	requiring regular use of asthma controlling	
medications, restrictive lung disease, fibrosis, chronic	medications, restrictive lung disease, fibrosis, chronic	
bronchitis, bronchiectasis	bronchitis, bronchiectasis	
☐ Chronic cardiovascular disease	☐ Chronic cardiovascular disease	
☐ Spinal cord injury	☐ Spinal cord injury	
☐ Any sensory, physical, intellectual, or	☐ Any sensory, physical, intellectual, or	
developmental disability	developmental disability	
☐ Receiving in-home hospice	☐ Receiving in-home hospice	
☐ History of heat-related illness, including emergency	☐ Home oxygen use: home O2, O2 concentrators,	
room visits for heat-related illness	home ventilator	
☐ Chronic kidney disease	☐ Approval by review for medical exception due to:	
□ Diabetes mellitus		
☐ Multiple Sclerosis		
☐ Parkinson's Disease		
☐ Approval by review for medical exception due to:		
Medical Mini Refrigerator	Portable Power Supply	
☐ Medications requiring refrigeration. Examples	☐ Durable medical equipment (DME) requiring	
include but are not limited to medications for diabetes	electricity for use (see additional info section for	
mellitus, glaucoma, and asthma; TNF inhibitors	examples)	
☐ Enteral and parenteral nutrition	☐ Assistive technologies requiring electricity and	
☐ Approval by review for medical exception due to:	necessary for communication or ADLs	
	☐ Approval by review for medical exception due to:	
Snace Heater		
Space Heater		
☐ Schizophrenia spectrum and other psychotic disorder	S	
☐ Schizophrenia spectrum and other psychotic disorder☐ Bipolar and related disorders		
 □ Schizophrenia spectrum and other psychotic disorder □ Bipolar and related disorders □ Major depressive disorder, moderate severity, severe 	severity, with psychotic features, with a suicide attempt	
 □ Schizophrenia spectrum and other psychotic disorder □ Bipolar and related disorders □ Major depressive disorder, moderate severity, severein the past 12mo, or with crisis services (ED, mobile crisis) 		
 □ Schizophrenia spectrum and other psychotic disorder □ Bipolar and related disorders □ Major depressive disorder, moderate severity, severe in the past 12mo, or with crisis services (ED, mobile crist treatment in the past12m 	severity, with psychotic features, with a suicide attempt sis team), acute psychiatric hospitalization, or residential	
 □ Schizophrenia spectrum and other psychotic disorder □ Bipolar and related disorders □ Major depressive disorder, moderate severity, severe in the past 12mo, or with crisis services (ED, mobile crist treatment in the past12m □ One or more of the following Substance Use Disorder 	e severity, with psychotic features, with a suicide attempt sis team), acute psychiatric hospitalization, or residential rs: alcohol use disorder, hallucinogen use disorders,	
 □ Schizophrenia spectrum and other psychotic disorder □ Bipolar and related disorders □ Major depressive disorder, moderate severity, severe in the past 12mo, or with crisis services (ED, mobile crist treatment in the past12m □ One or more of the following Substance Use Disorder inhalant use disorder, opioid use disorder, stimulant use 	e severity, with psychotic features, with a suicide attempt sis team), acute psychiatric hospitalization, or residential rs: alcohol use disorder, hallucinogen use disorders,	
□ Schizophrenia spectrum and other psychotic disorder. □ Bipolar and related disorders □ Major depressive disorder, moderate severity, severe in the past 12mo, or with crisis services (ED, mobile crist treatment in the past12m □ One or more of the following Substance Use Disorder inhalant use disorder, opioid use disorder, stimulant use □ Major neurocognitive disorder	e severity, with psychotic features, with a suicide attempt sis team), acute psychiatric hospitalization, or residential rs: alcohol use disorder, hallucinogen use disorders, e disorder	
□ Schizophrenia spectrum and other psychotic disorder □ Bipolar and related disorders □ Major depressive disorder, moderate severity, severe in the past 12mo, or with crisis services (ED, mobile crist treatment in the past12m □ One or more of the following Substance Use Disorder inhalant use disorder, opioid use disorder, stimulant use □ Major neurocognitive disorder □ Pregnant: current - *See Required Conditions For Special	e severity, with psychotic features, with a suicide attempt sis team), acute psychiatric hospitalization, or residential as: alcohol use disorder, hallucinogen use disorders, e disorder	
□ Schizophrenia spectrum and other psychotic disorders □ Bipolar and related disorders □ Major depressive disorder, moderate severity, severe in the past 12mo, or with crisis services (ED, mobile crist treatment in the past12m □ One or more of the following Substance Use Disorder inhalant use disorder, opioid use disorder, stimulant use □ Major neurocognitive disorder □ Pregnant: current - *See Required Conditions For Specific □ 0-6 years old - *See Required Conditions For Specific	e severity, with psychotic features, with a suicide attempt sis team), acute psychiatric hospitalization, or residential es: alcohol use disorder, hallucinogen use disorders, e disorder ecific Age Groups Section Age Groups Section	
□ Schizophrenia spectrum and other psychotic disorders □ Bipolar and related disorders □ Major depressive disorder, moderate severity, severe in the past 12mo, or with crisis services (ED, mobile crist treatment in the past12m □ One or more of the following Substance Use Disorder inhalant use disorder, opioid use disorder, stimulant use □ Major neurocognitive disorder □ Pregnant: current - *See Required Conditions For Specific □ 0-6 years old - *See Required Conditions For Specific □ 65+ years old - *See Required Conditions For	e severity, with psychotic features, with a suicide attempt sis team), acute psychiatric hospitalization, or residential as: alcohol use disorder, hallucinogen use disorders, e disorder ecific Age Groups Section a Age Groups Section a Age Groups Section	
□ Schizophrenia spectrum and other psychotic disorders □ Bipolar and related disorders □ Major depressive disorder, moderate severity, severe in the past 12mo, or with crisis services (ED, mobile crist treatment in the past12m □ One or more of the following Substance Use Disorder inhalant use disorder, opioid use disorder, stimulant use □ Major neurocognitive disorder □ Pregnant: current - *See Required Conditions For Specific □ 0-6 years old - *See Required Conditions For Specific □ Chronic lower respiratory condition: chronic obstructive	e severity, with psychotic features, with a suicide attempt sis team), acute psychiatric hospitalization, or residential as: alcohol use disorder, hallucinogen use disorders, e disorder ecific Age Groups Section Age Groups Section C Age Groups Section Or Polymonary disease (COPD), asthma requiring	
□ Schizophrenia spectrum and other psychotic disorders □ Bipolar and related disorders □ Major depressive disorder, moderate severity, severe in the past 12mo, or with crisis services (ED, mobile crist treatment in the past12m □ One or more of the following Substance Use Disorder inhalant use disorder, opioid use disorder, stimulant use □ Major neurocognitive disorder □ Pregnant: current - *See Required Conditions For Specific □ 0-6 years old - *See Required Conditions For Specific □ 65+ years old - *See Required Conditions For Specific □ Chronic lower respiratory condition: chronic obstructive regular use of asthma controlling medications, restrictive	e severity, with psychotic features, with a suicide attempt sis team), acute psychiatric hospitalization, or residential as: alcohol use disorder, hallucinogen use disorders, e disorder ecific Age Groups Section Age Groups Section C Age Groups Section Or Polymonary disease (COPD), asthma requiring	
□ Schizophrenia spectrum and other psychotic disorders □ Bipolar and related disorders □ Major depressive disorder, moderate severity, severe in the past 12mo, or with crisis services (ED, mobile crist treatment in the past12m □ One or more of the following Substance Use Disorder inhalant use disorder, opioid use disorder, stimulant use inhalant use disorder opioid use disorder, stimulant use inhalant use disorder opioid use disorder, stimulant use inhalant use disorder opioid use disorder, stimulant use of active disorder of the following Substance Use Disor	e severity, with psychotic features, with a suicide attempt sis team), acute psychiatric hospitalization, or residential as: alcohol use disorder, hallucinogen use disorders, e disorder ecific Age Groups Section Age Groups Section C Age Groups Section Or Polymonary disease (COPD), asthma requiring	
□ Schizophrenia spectrum and other psychotic disorders □ Bipolar and related disorders □ Major depressive disorder, moderate severity, severe in the past 12mo, or with crisis services (ED, mobile crist treatment in the past12m □ One or more of the following Substance Use Disorder inhalant use disorder, opioid use disorder, stimulant use Major neurocognitive disorder □ Pregnant: current - *See Required Conditions For Specific □ 0-6 years old - *See Required Conditions For Specific □ Chronic lower respiratory condition: chronic obstructive regular use of asthma controlling medications, restrictive bronchiectasis □ Chronic cardiovascular disease	e severity, with psychotic features, with a suicide attempt sis team), acute psychiatric hospitalization, or residential as: alcohol use disorder, hallucinogen use disorders, e disorder ecific Age Groups Section Age Groups Section C Age Groups Section Or Polymonary disease (COPD), asthma requiring	
□ Schizophrenia spectrum and other psychotic disorders □ Bipolar and related disorders □ Major depressive disorder, moderate severity, severe in the past 12mo, or with crisis services (ED, mobile crist treatment in the past12m □ One or more of the following Substance Use Disorder inhalant use disorder, opioid use disorder, stimulant use □ Major neurocognitive disorder □ Pregnant: current - *See Required Conditions For Specific □ 0-6 years old - *See Required Conditions For Specific □ Chronic lower respiratory condition: chronic obstructive regular use of asthma controlling medications, restrictive bronchiectasis □ Chronic cardiovascular disease □ Spinal cord injury	e severity, with psychotic features, with a suicide attempt sis team), acute psychiatric hospitalization, or residential as: alcohol use disorder, hallucinogen use disorders, e disorder ecific Age Groups Section Age Groups Section C Age Groups Section	
□ Schizophrenia spectrum and other psychotic disorders □ Bipolar and related disorders □ Major depressive disorder, moderate severity, severe in the past 12mo, or with crisis services (ED, mobile crist treatment in the past12m □ One or more of the following Substance Use Disorder inhalant use disorder, opioid use disorder, stimulant use inhalant use disorder of the following Substance Use Disorder inhalant use disorder of the following Substance Use Disorder of the following Subst	e severity, with psychotic features, with a suicide attempt sis team), acute psychiatric hospitalization, or residential as: alcohol use disorder, hallucinogen use disorders, e disorder ecific Age Groups Section Age Groups Section C Age Groups Section	
□ Schizophrenia spectrum and other psychotic disorders □ Bipolar and related disorders □ Major depressive disorder, moderate severity, severe in the past 12mo, or with crisis services (ED, mobile crist treatment in the past12m □ One or more of the following Substance Use Disorder inhalant use disorder, opioid use disorder, stimulant use □ Major neurocognitive disorder □ Pregnant: current - *See Required Conditions For Specific □ 0-6 years old - *See Required Conditions For Specific □ Chronic lower respiratory condition: chronic obstructive regular use of asthma controlling medications, restrictive bronchiectasis □ Chronic cardiovascular disease □ Spinal cord injury	e severity, with psychotic features, with a suicide attempt sis team), acute psychiatric hospitalization, or residential es: alcohol use disorder, hallucinogen use disorders, e disorder ecific Age Groups Section Age Groups Section C age Gr	



Characteristical and discourse		
☐ Chronic kidney disease		
☐ Diabetes mellitus		
☐ Multiple Sclerosis		
☐ Parkinson's Disease		
☐ Approval by review for medical exception due to:		
Expedited - defined as member's life, health, or ability to regain maximum function is in serious jeopardy if determination is not made in the standard time frame. Request must include supporting documentation to substantiate an expedited review. Explanation Required:		
Comments:		

If member does not meet HRSN eligibility, consider applying for HRS flex funds https://yamhillcco.org/wp-content/uploads/YCCO-Flex-Funds-Request-1.pdf

Required Conditions for Specific Age Groups:

Child less than 6 years of age and currently has, has a history of, or is at risk for at least one of the following: • Heat stroke or heat exhaustion • Hypothermia, frostbite, or chilblains • Malnutrition • Dehydration • Child maltreatment as defined by the CDC (https://www.cdc.gov/violenceprevention/pdf/CM_Surveillance-a.pdf) 2024 HRSN Guidance Document, V3 - Page 9 • Is a child with a special healthcare need (CYSHCN) as defined by the Health Resources and Services Administration (HRSA) (https://mchb.hrsa.gov/programs-impact/focus-areas/children-youth[1]special-health-care-needs-cyshcn#i) • An acute or chronic respiratory condition • A respiratory or gastrointestinal infectious disease, or becoming febrile with an infectious illness • Low birth weight of less than 2500 grams or 5.5 lbs

Pregnant and currently has, has a history of, or is at risk for at least one of the following: • Heat stroke or heat exhaustion • Hypothermia, frostbite, or chilblains • An acute or chronic respiratory condition • Infection • Highrisk pregnancy as defined by the NIH (https://www.nichd.nih.gov/health/topics/high-risk/conditioninfo) • History of previous pregnancy, delivery, or birth complication including gestational diabetes, preeclampsia, preterm labor, preterm birth, placental abruption, newborn low birth weight, stillbirth • Abuse or interpersonal violence • Malnutrition • Hyperemesis gravidarum and other causes of dehydration • Maternal low birth weight of less that 2500 grams or 5.5 lbs Multiple pregnancy • Mental health condition

Adult 65 years and older and currently has, has a history of, or is at risk for at least one of the following: • Heat stroke or heat exhaustion • Hypothermia, frostbite, or chilblains • Malnutrition • Dehydration • Currently



taking medications that impact heat tolerance, including for upper respiratory infections, allergies, COPD, muscle spasms, blood pressure, diuresis, diarrhea, constipation, anti-inflammation, mental health conditions, and sleep • Abuse or neglect • A respiratory or gastrointestinal infectious disease, or becoming febrile with an infectious illness • Mental health condition • Two or more chronic health conditions

Additional Info:

Durable medical equipment (DME) requiring electricity for use examples (include but are not limited to):

- ·Oxygen delivery systems, including concentrators, humidifiers, nebulizers, and ventilator
- Intermittent positive pressure breathing machines
- ·Cardiac devices
- In home dialysis and automated peritoneal dialysis
- ·Feeding Pumps
- ·IV infusions
- Suction pumps
- ·Power wheelchair and scooter
- ·Lift systems and electric beds
- Breast pumps for first 6mo post-partum
- Other DME medically required for sustaining life

Procedure Code	Modifiers	Requested Item/Service
S5165	U1; V1	Air conditioner for individual at health risk due to significant heat, including delivery
S5165	U1; V4	Heater for individual at increased health risk due to significant cold, including delivery
S5165	U1; V2	Mini refrigeration unit as needed for individual for medication storage, including delivery
T2029	U1	Air filtration device for individual at health risk due to compromised air quality, including delivery
T2028	U1; TS	Air filter replacements
S5165	U1; V3	Portable power supply (PPSs) for individual who need access to electricity-dependent equipment (e.g., ventilators, dialysis machines, intravenous equipment, chair lifts, mobility devices, communication devices, etc.) or are at risk of public safety power shutoffs (PSPS) that may compromise their ability to use medically necessary devices.

IMPORTANT NOTICE: This message is intended for the use of the person or entity to which it is addressed and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient, or the employee or agent responsible for delivering it to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this information is STRICTLY PROHIBITED. If you have received this message by error, please notify us immediately and destroy the related message.